



SOLAR LIGHTING

SOLARA SERIES

Go Farther with Solar


*** Bright. Clean. Limitless ***

Email: info@ramopower.com

Address: Unit 16G, Milland Road Industrial Estate,
Milland Rd, Neath SA11 1NJ, United Kingdom

Tel: +44 1639 633933

Item	Battery pack specifications 01	Battery pack specifications 02
Battery pack size	470*390*130mm	470*390*130mm
Battery voltage & wattage	60Ah, 12.8V	60Ah, 25.6V
Battery brand & model	Gotion High Tech 32135 15AH, 3.2V A+ Grade	Gotion High Tech 32135 15AH, 3.2V A+ Grade
Battery cell size	φ33.6*139.7mm	φ33.6*139.7mm
Components inside the box	Batter Cell: Gotion High Tech 32135 15AH, 3.2V A+ Grade Connection: 8 On Row . Number Of Batteries: 16 Nos. Battery Capacity: 12.8V, 60AH.	Batter Cell: Gotion High Tech 32135 15AH, 3.2V Connection: 8 On Row + 8 On a Row 2 Level. Number Of Batteries: 32 Nos. Battery Capacity: 25.6V, 60AH.
Battery isolation details of 3 layers	PC Holder Blue Plastic Seal Aluminum heat sink	PC Holder Blue Plastic Seal Aluminum heat sink
Function	Quick Charge Display screen Easy replacement Air Valve	Quick Charge Display screen Easy replacement Air Valve
Controller details	DM80 : All in one All in two 1L All in two 1L Classic HUAHUIYUAN: Solar Chair	DM160: All in two 2L All in two 2L Classic 200W: All in two 2L Fold light



SOLAR GARDEN BENCH

Dimensions	L 1300MM X W 488MM X T 9.9MM
Power	49W
Maximum Power Current (Imp)	5.98A
Maximum Power Voltage (Vmp)	8.26V
Short circuit current (Isc)	6.24A
Open circuit Voltage (Voc)	9.64V
Cell Arrangement	182 Half Cells, 7*2
Junction Box Cable Length	300mm

Material	Steel, Galvanized Steel Sheet, Corrosion-resistant Wood, Double Layer Tempered
Dimensions	L 2300MM X W 500MM X T 450MM
Surface Treatment	Plastic Spray, Paint
Power Output	10V,49W
Battery	12V 60Ah
Charging Options	USB, Wireless
Illumination	Available (Light Emitting)

